SAFETY DATA SHEET

Issue Date 12-May-2015

Revision Date 31-May-2015

Version 1

1. IDENTIFICATION

Product identifier Product Name

WB Matte Urethane - Part A

Other means of identification Product Code Synonyms

Recommended use of the chemical and restrictions on useRecommended UseConcrete Coating.Uses advised againstNo Data

Details of the supplier of the safety data sheet Distributor Address Deco Crete Supply 133 North Kohler Road Orrville, OH 44667

Emergency telephone number

Company Phone Number(330) 682-567824 Hour Emergency Phone Number800-535-5053 (United States & Canada), International Call: 1-352-323-3500

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not classified
Acute toxicity - Inhalation (Vapors)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/eye irritation	Not classified

Label elements

Emergency Overview

 Warning

 Hazard statements

 May be harmful if swallowed

 May cause an allergic skin reaction

 Causes eye irritation

 Virial State

 Appearance

 Milky White Liquid

 Physical state

 Iquid

 Odor

 Slight

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Wash hands and face thoroughly after handling Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contacts, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention IF SWALLOWED: Immediately call a POISON CONTROL CENTER/doctor IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed. Keep from freezing.

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local/regional/national regulations.

Hazards not otherwise classified (HNOC)

May cause skin irritation.

Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
Non-hazardous ingredient(s)	-	95-99	*
Triethanolamine	102-71-6	0.1 - 1	*
1-Butoxy-2-propanol	5131-66-8	0.1 - 1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice	Move out of the dangerous area. Consult a physician. Provide this Safety Data Sheet to the doctor in attendance.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin contact	IF ON SKIN: Wash off with soap and plenty of water. If skin irritation occurs: Get medical advice or attention.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. If symptoms persist, call a physician.
Ingestion	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Symptoms Eye, Skin, and Respiratory Irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically. For additional information, see Safety Data Sheet.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Product is not combustible. Use water spray (fog), alcohol-resistant foam, dry chemical, or carbon dioxide forsurrounding fire.

Unsuitable extinguishing media Not Applicable.

Specific hazards arising from the chemical

None Known.

Hazardous combustion products Carbon oxides.

Explosion data Sensitivity to Mechanical Impact Not available. Sensitivity to Static Discharge Not sensitive.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	In case of spill wear appropriate personal protective equipment during any cleanup and response activities. Avoidskin contact and inhalation.	
Environmental precautions		
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not allow product to enter any drains or waterways.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Dike and contain spill with inert absorbent materials. Soak up with inert material and dispose of as hazardouswaste. Keep in suitable, closed containers for disposal.	
Methods for cleaning up	Pick up and transfer to properly labeled containers.	
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Advice on safe handling	Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.	

Conditions for safe storage, including any incompatibilities

 Storage Conditions
 Keep at a temperature not exceeding 38 Degrees C (100 Degrees F). Do not allow material to freeze. Keep container tightly closed in a dry and well ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Slight

No data available

Incompatible materials

None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines	CAS 102-71-6, Triethanola	amine.	
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Triethanolamine	TWA: 5 mg/m ³	-	-
102-71-6			
Appropriate engineering controls	<u>5</u>		
Engineering Controls	General/Local Ventilation	Recommended.	
Individual protection measures,	such as personal protective	equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).		
Skin and body protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear chemical resistant gloves at minimum. Wash skin immediately upon contact. Wash hands at mealtime and end of shift.		
Respiratory protection	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators.		
General Hygiene Considerations	s Handle in accordance with good industrial hygiene and safety practice. Wash hands befor and after breaks and at the end of the work day.		

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	liquid Milky White Liquid white	Odor Odor threshold
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range	<u>Values</u> Not Relevant Not Applicable/ 32° F 100 °C	<u>Remarks • Method</u>
Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	> 248 °C (478 °F) Not Available Not Relevant	CC (closed cup)
Upper flammability limit: Lower flammability limit: Vapor pressure	Not Available Not Available Not Available	
Vapor density Relative density Water solubility Solubility in other solvents	Not Available 1.08 @ 70 Degrees F Soluble in water Not Available	
Partition coefficient Autoignition temperature Decomposition temperature	Not Available Not Available Not Available Not Available Not Available	
Kinematic viscosity Dynamic viscosity	Not Available	

Explosive properties	Not Available
Oxidizing properties	Not Available
Other Information	
Softening point	Not Relevant
Molecular weight	Not Available
VOC Content (%)	< 100 g/L

10. STABILITY AND REACTIVITY

Not Available

Not Available

Reactivity Not Available

Bulk density

Density

Chemical stability Stable. Possibility of Hazardous Reactions No data available. Conditions to avoid None known. Incompatible materials None known. Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Direct contact and vapor inhalation.
Eye contact	Direct contact.
Skin contact	Direct contact.
Ingestion	Direct contact.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Triethanolamine	= 4190 mg/kg (Rat)	> 20 mL/kg (Rabbit) > 16 mL/kg	-
102-71-6		(Rat)	

Information on toxicological effects

Symptoms

Ingestion may cause nausea, vomiting and diarrhea. Exposure causes mild skin irritation. Exposure causes eye irritation. Depending on concentration of residual monomers (typically <0.1%), vapors can collect above the liquid in closed containers. These vapors may result in eye and upper respiratory tract irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Serious eye damage/eye irritation	Irritating to skin. Irritating to eyes.
Irritation	Irritating to eyes, respiratory system and skin.
Sensitization	No data available.
Germ cell mutagenicity	No data available.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

	IARC or NTP.			
Chemical Name	ACGIH	IARC	NTP	OSHA
Triethanolamine	-	Group 3	-	-
102-71-6				
Reproductive toxicity	Not Available.			
STOT - single exposure	Not Available.			
STOT - repeated exposure	Not Available.			
Aspiration hazard	Not Available.			

Numerical measures of toxicity - Product Information

12. ECOLOGICAL INFORMATION

Material is expected to be harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Ecotoxicity

Chemic	al Name	Algae/aquatic plants	Fish	Crustacea
	olamine	216: 72 h Desmodesmus	10600 - 13000: 96 h Pimephales	1386: 24 h Daphnia magna mg/L
102	-71-6	subspicatus mg/L EC50 169: 96 h Desmodesmus subspicatus mg/L	promelas mg/L LC50 flow-through 1000: 96 h Pimephales promelas	EC50
		EC50	mg/L LC50 static 450 - 1000: 96 h	
			Lepomis macrochirus mg/L LC50	
			static	

Persistence and degradability

No data available.

Bioaccumulation

No data available.

Chemical Name	Partition coefficient
Triethanolamine	-2.53
102-71-6	

Other adverse effects

No data available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes	This material, as supplied, is not a hazardous waste according to state and federal regulations (40 CFR 261).
Contaminated packaging	Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT Marine pollutant Not regulated Material is expected to be harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

IATA

Not regulated

- I. I.--

.

IMDG

Not regulated

15. REGULATORY INFORMATION

International Inventories	
TSCA	Does not comply
DSL/NDSL	Does not comply
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply

Legend:

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 IECSC - China Inventory of Existing Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances

 PICCS - Philippines Inventory of Chemicals and Chemical Substances

 AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

<u>CERCLA</u>

Does not apply

US State Regulations

<u>California Proposition 65</u> This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

U.S. EPA Label Information

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA

Health hazards 2

Flammability 1

Instability 0

Physical and Chemical Properties -

HMIS	Health hazards 2	Flammability 1	Physical hazards 0	Personal protection X
Issue Date	12-May-2	015		
Revision Date	31-May-2	015		
Revision Note	-			
No data available				
Disclaimor				

<u>Disclaimer</u>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

SAFETY DATA SHEET

Issue Date 12-May-2015

Revision Date 31-May-2015

Version 1

1. IDENTIFICATION

Product identifier Product Name	WB Matte Urethane - Part B
<u>Other means of identification</u> Product Code Synonyms	FG00118
Recommended use of the chemical	and restrictions on use
Recommended Use Uses advised against	Concrete Coating. No Data
Details of the supplier of the safety Distributor Address Deco Crete Supply 133 North Kohler	
Emergency telephone number	
Company Phone Number	(330) 682-5678

Company Phone Number(330) 682-567824 Hour Emergency Phone Number800-535-5053 (United States & Canada), International Call: 1-352-323-3500

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not classified
Acute toxicity - Inhalation (Vapors)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/eye irritation	Not classified

Label elements

Emergency Overview

		-		-								_
Physical state	te	li	liq	uid					00	dor	Sligh	ıt
					Physical state liquid							

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Wash hands and face thoroughly after handling Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contacts, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention IF SWALLOWED: Immediately call a POISON CONTROL CENTER/doctor IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed. Keep from freezing.

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local/regional/national regulations.

Hazards not otherwise classified (HNOC)

May cause skin irritation.

Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
Trade Secret	Proprietary	60 - 100	*
Isocyanate	Proprietary	10 - 30	*
Hexamethylene diisocyanate	822-06-0	0.1 - 1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures	
General advice	Move out of the dangerous area. Consult a physician. Provide this Safety Data Sheet to the doctor in attendance.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin contact	IF ON SKIN: Wash off with soap and plenty of water. If skin irritation occurs: Get medical advice or attention.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. If symptoms persist, call a physician.
Ingestion	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT

induce vomiting. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Symptoms Eye, Skin, and Respiratory Irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically. For additional information, see Safety Data Sheet.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Product is not combustible. Use water spray (fog), alcohol-resistant foam, dry chemical, or carbon dioxide forsurrounding fire.

Unsuitable extinguishing media Not Applicable.

Specific hazards arising from the chemical

None Known.

Hazardous combustion productsCarbon oxides.

Explosion data Sensitivity to Mechanical Impact Not available. Sensitivity to Static Discharge Not sensitive.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	In case of spill wear appropriate personal protective equipment during any cleanup and response activities. Avoidskin contact and inhalation.	
Environmental precautions		
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not allow product to enter any drains or waterways.	
Methods and material for containme	ent and cleaning up	
Methods for containment	Dike and contain spill with inert absorbent materials. Soak up with inert material and dispose of as hazardouswaste. Keep in suitable, closed containers for disposal.	
Methods for cleaning up	Pick up and transfer to properly labeled containers.	
	7. HANDLING AND STORAGE	

Precautions for safe handling

Conditions for safe storage, including any incompatibilities

 Storage Conditions
 Keep at a temperature not exceeding 38 Degrees C (100 Degrees F). Do not allow material to freeze. Keep container tightly closed in a dry and well ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Incompatible materials

None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines	CAS # 822-06-0, Hexame	ethylene-1,6-Diisocyanate.	
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hexamethylene diisocyanate 822-06-0	TWA: 0.005 ppm	-	Ceiling: 0.020 ppm 10 min Ceiling: 0.140 mg/m ³ 10 min TWA: 0.005 ppm TWA: 0.035 mg/m ³
Appropriate engineering controls			
Engineering Controls	General/Local Ventilation	Recommended.	
Individual protection measures, s	uch as personal protective	equipment_	
Eye/face protection	Wear safety glasses with side shields (or goggles).		
Skin and body protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear chemical resistant gloves at minimum. Wash skin immediately upon contact. Wash hands at mealtime and end of shift.		
Respiratory protection	exposure assessment der guidelines. Where concer appropriate respiratory pr	ntrations are above recommer	e within recommended exposure ided limits or are unknown, ow OSHA respirator regulations (29
General Hygiene Considerations	Handle in accordance wit and after breaks and at th		safety practice. Wash hands before

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	liquid Milky White Liquid white	Odor Odor threshold	Slight No data available
Property_ pH Melting point / freezing point	<u>Values</u> Not Relevant Not Applicable/ 32° F	Remarks • Method	
Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	100 °C >100 °C (>212 °F) Not Available Not Relevant	CC (closed cup)	
Upper flammability limit: Lower flammability limit: Vapor pressure	Not Available Not Available Not Available		
Vapor density Relative density Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature	Not Available 1.07 @ 70 Degrees F Soluble in water Not Available Not Available Not Available Not Available Not Available		

Kinematic viscosity	Not Available
Dynamic viscosity	Not Available
Explosive properties	Not Available
Oxidizing properties	Not Available

Other Information

Softening point Molecular weight VOC Content (%) Density Bulk density Not Relevant Not Available < 100 g/L Not Available Not Available

10. STABILITY AND REACTIVITY

Reactivity Not Available

Chemical stability Stable. Possibility of Hazardous Reactions No data available. Conditions to avoid None known. Incompatible materials None known. Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Direct contact and vapor inhalation.
Eye contact	Direct contact.
Skin contact	Direct contact.
Ingestion	Direct contact.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Trade Secret	-	-	= 18500 mg/m ³ (Rat)1 h
Hexamethylene diisocyanate 822-06-0	= 710 mg/kg (Rat)	= 570 µL/kg (Rabbit)	= 0.15 mg/L (Rat)4 h = 0.29 mg/L (Rat)1 h

Information on toxicological effects

Symptoms

Ingestion may cause nausea, vomiting and diarrhea. Exposure causes mild skin irritation. Exposure causes eye irritation. Depending on concentration of residual monomers (typically <0.1%), vapors can collect above the liquid in closed containers. These vapors may result in eye and upper respiratory tract irritation.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Irritating to skin.
Serious eye damage/eye irritation	Irritating to eyes.

Irritation	Irritating to eyes, respiratory system and skin.
Sensitization	No data available.
Germ cell mutagenicity	No data available.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Reproductive toxicity	Not Available.
STOT - single exposure	Not Available.
STOT - repeated exposure	Not Available.
Aspiration hazard	Not Available.

Numerical measures of toxicity - Product Information

12. ECOLOGICAL INFORMATION

No available data.

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Hexamethylene diisocyanate	-	26.1: 96 h Brachydanio rerio mg/L	-
822-06-0		LC50 static	

Persistence and degradability

No data available.

Bioaccumulation

No data available.

Other adverse effects

No data available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal of wastes	This material, as supplied, is not a hazardous waste according to state and federal regulations (40 CFR 261).

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT Marine pollutant Not regulated No available data.

IATA

Not regulated

IMDG

Not regulated

15. REGULATORY INFORMATION

International Inventories	
TSCA	Does not comply
DSL/NDSL	Does not comply
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

<u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hexamethylene diisocyanate	100 lb	-	RQ 100 lb final RQ
822-06-0			RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

U.S. EPA Label Information

16. OTHER IN	IFORMATION, INCL	UDING DATE OF	PREPARATION OF THE	E LAST REVISION
<u>NFPA</u>	Health hazards 2	Flammability 1	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards 2	Flammability 1	Physical hazards 0	Personal protection X

Issue Date	12-May-2015
Revision Date	31-May-2015
Revision Note	
No data available	
Disclaimer	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet